SAMSUNG ELECTRONICS

Knox E-FOTA On-Premises

Guidance for Upgrade to DFM 1.0.1.9 from DFM 1.0.1.8

Version: 1.6

Last Update: Dec 2024

Document History

What	Ver.	When
 I. Added: Guidance for upgrade to DFM 1.0.1.9 ← There are a couple of items that have changed: 1) changed Podman image files, 2) New Feature: dfm mysql update and minio update 	Ver1.6	Dec 2024
 I. Added: Guidance for upgrade to DFM 1.0.1.8 ← There are a couple of items that have changed: 1) changed Podman image files, 2) alter table, 3)New Feature: Configurable license app enabled, port, core run command, 4) Background app setting 	Ver1.5	Jun 2024
I. Added: Guidance for upgrade to DFM 1.0.1.7 ← There are a couple of items that have changed: 1) changed Docker image files, 2) New Feature: Configurable device group polling	Ver1.4	Oct 2023
I. Added: Guidance for upgrade to DFM 1.0.1.6 ← There are a couple of items that have changed: 1) changed Docker image files, 2) alter table, 3) New Feature: Configurable Device Group polling	Ver1.3	Apr 2023
I. Added: Guidance for upgrade to DFM 1.0.1.5 ← There are a couple of items that have changed: 1) changed Podman image files	Ver1.2	Jul 2022
I. Added: Guidance for upgrade to DFM 1.0.1.4 ← There are a couple of items that have changed: 1) changed Podman image files, 2), New Feature: Configurable length of password digits	Ver1.1	Mar 2022
I. Added: Guidance for upgrade to DFM 1.0.1.3 ← There are a couple of items that have changed: 1) changed Podman image files	Ver1.0	Jan 2022

[ADDENDUM] : Upgrade from 1.0.1.8 to 1.0.1.9

1.1. Purpose of this document

The purpose of this document is to provide instructions to <u>upgrade a system with DFM 1.0.1.8 to</u> <u>1.0.1.9</u>. If DFM has never been installed on the server, skip this process and follow the new installation process document.

1.2. Why patch DFM Podman images, etc.?

- Updated bug issues

- New feature: dfm mysql update and minio

1.3. What changed in version 1.0.1.9?

	Category	Summary
1	Docker image	- dfm-mysql image
		- dfm-minio image
		- dfm-core image
		- dfm-console image

- 1. Changed four Docker image files when compared with the previous DFM 1.0.1.8 version:
 - dfm-mysql
 - dfm-minio
 - dfm-core
 - dfm-console

1.4. Update the DFM Module

During the update, a short circuit may occur.

The DFM Module is logged in with a dedicated service account and operates with the privileges of the account. You should log in with the account you used to install before.

1.4.1. Install v1.0.1.9 DFM Module Package

The following command shows you how to install the v1.0.1.9 tar compress package:

```
1) delete exist dfm folder
rm -rf /tmp/dfm

2) extract package
tar -zxvf sec-dfm_1.0.1.9.tar.gz -C /tmp

example)
$ tar -zxvf sec-dfm_1.0.1.9.tar.gz
/tmp/dfm/
....
/tmp/dfm/usr/
/tmp/dfm/usr/bin/
/tmp/dfm/usr/bin/dfm
```

1.4.1. DFM CLI Update

[STEP 1] Copy the DFM CLI.

sudo cp /tmp/dfm/bin/dfm /usr/local/bin or sudo cp /tmp/dfm/bin/dfm /usr/bin

Example)

sudo cp /tmp/dfm/bin/dfm /usr/local/bin

[STEP 2] Check the DFM CLI privileges and version.

Is -al /usr/local/bin/dfm or Is -al /usr/bin/dfm

-rwxr-xr-x. 1 efotadm efotadm 2902624 Mar 2 07:42 dfm

dfm version

version: 1.0.1.9 Red Hat Enterprise Linux release 8.4 (Ootpa)

1.4.2 DFM Mysql Update

The released **Mysql** image information is as follows:

【STEP01】 Stop the running mysql server.

#root mode

sudo dfm terminate dfm-mysql

#rootless mode

dfm terminate dfm-mysql

[STEP02] Load the released podman image.

#root mode

sudo podman load -i /tmp/dfm/images/mysql-8.0.36.tar

#rootless mode

podman load -i /tmp/dfm/images/mysql-8.0.36.tar

(STEP03) Change repository and tag's configuration

dfm config set core_img_rep=localhost/dfm-mysql

dfm config set core_img_tag=8.0.36

[STEP04] Confirm the changed repository and tag's configuration

dfm config get mysql_img_rep dfm config get mysql_img_tag

[STEP05] Start up Server

- DFM Mysql Server

#rootless mode
dfm start dfm-mysql

#root mode
sudo dfm start dfm-mysql

[Validation]

Make sure the DFM Mysql Server container is in a healthy state. It may take some time until its state is healthy.

If it is redhat 8.4 version, run health check podman healthcheck run dfm-mysql #rootless mode podman ps -a #root mode sudo podman ps -a Example) CONTAINER ID **IMAGE** STATUS **NAMES** 9baaf3c0338a localhost/mysql:8.0.36 Up 36 seconds ago dfm-mysql (healthy)

1.4.3 DFM Minio Update

The released Minio image information is as follows:

[STEP01] Stop the running minio server.

#root mode
sudo dfm terminate dfm-minio
#rootless mode
dfm terminate dfm-minio

[STEP02] Load the released podman image.

#root mode
sudo podman load -i /tmp/dfm/images/minio-RELEASE.2022-04-30T22-23-53Z.tar

#rootless mode
podman load -i /tmp/dfm/images/minio-RELEASE.2022-04-30T22-23-53Z.tar

(STEP03) Change repository and tag's configuration

dfm config set minio_img_rep=localhost/minio/minio

dfm config set minio_img_tag=RELEASE.2022-04-30T22-23-53Z

[STEP04] Confirm the changed repository and tag's configuration

dfm config get minio_img_rep dfm config get minio_img_tag

【STEP05】 Start up Server

- DFM Minio Server

#rootless mode
dfm start dfm-minio

#root mode
sudo dfm start dfm-minio

Validation

Make sure the DFM Minio Server container is in a healthy state. It may take some time until its state is healthy.

If it is redhat 8.4 version, run health check podman healthcheck run dfm-minio #rootless mode podman ps -a #root mode sudo podman ps -a Example) CONTAINER ID **IMAGE** STATUS **NAMES** 9baaf3c0338a localhost/mysql:8.0.36 Up 36 seconds ago dfm-mysql (healthy) 77d1f27b3038 localhost/minio/minio:RELEASE.2022-Up 38 seconds ago dfm-minio 04-30T22-23-53Z (healthy)

1.4.4 DFM Core Update

The released **Core** image information is as follows:

[STEP01] Stop the running core server.

#root mode
sudo dfm terminate dfm-core
#rootless mode
dfm terminate dfm-core

[STEP02] Load the released podman image.

```
#root mode
sudo podman load -i /tmp/dfm/images/dfm-core_1.0.1.9.tar

#rootless mode
podman load -i /tmp/dfm/images/dfm-core_1.0.1.9.tar
```

(STEP03) Change repository and tag's configuration

```
dfm config set core_img_rep=localhost/dfm-core

dfm config set core_img_tag=1.0.1.9
```

[STEP04] Confirm the changed repository and tag's configuration

dfm config get core_img_rep dfm config get core_img_tag

【STEP05】 Start up Server

- DFM Core Server

#rootless mode dfm start dfm-core

#root mode

sudo dfm start dfm-core

[Validation]

Make sure the DFM Core Server container is in a healthy state. It may take some time until its state is healthy.

If it is redhat 8.4 version, run health check podman healthcheck run dfm-core

#rootless mode

podman ps -a

#root mode

sudo podman ps -a

Example)

IMAGE	STATUS	NAMES
localhost/mysql:8.0.36	Up 36 seconds ago	dfm-mysql
	(healthy)	
localhost/minio/minio:RELEASE.2022-	Up 38 seconds ago	dfm-minio
04-30T22-23-53Z	(healthy)	
localhost/dfm-core:1.0.1.9	Up 32 seconds ago	dfm-core
	(healthy)	
	localhost/mysql:8.0.36 localhost/minio/minio:RELEASE.2022- 04-30T22-23-53Z	localhost/mysql:8.0.36 Up 36 seconds ago (healthy) localhost/minio/minio:RELEASE.2022- 04-30T22-23-53Z Up 38 seconds ago (healthy) Up 32 seconds ago Up 32 seconds ago

1.4.5 DFM Admin Console Update

The released **Admin Console** image information is as follows:

[STEP01] Stop the running console server.

#root mode sudo dfm terminate dfm-console #rootless mode

dfm terminate dfm-console

【STEP02】 Load the released podman image.

#root mode

sudo podman load -i /tmp/dfm/images/dfm-console_1.0.1.9.tar

#rootless mode

podman load -i /tmp/dfm/images/dfm-console_1.0.1.9.tar

【STEP03】 Change repository and tag's configuration

```
dfm config set console_img_rep=localhost/dfm-console

dfm config set console_img_tag=1.0.1.9
```

[STEP04] Confirm the changed repository and tag's configuration

```
dfm config get console_img_rep
dfm config get console_img_tag
```

[STEP05] Start up Server

- DFM Core Server

#rootless mode
dfm start dfm-console

#root mode sudo dfm start dfm-console

[Validation]

Make sure the DFM Core Server container is in a healthy state. It may take some time until its state is healthy.

```
# If it is redhat 8.4 version, run health check podman healthcheck run dfm-console
```

#rootless mode podman ps -a

#root mode

sudo podman ps -a

Example)

CONTAINER ID	IMAGE	STATUS	NAMES
9baaf3c0338a	localhost/mysql:8.0.36	Up 36 seconds ago (healthy)	dfm-mysql
77d1f27b3038	localhost/minio/minio:RELEASE.2022-	Up 38 seconds ago (healthy)	dfm-minio
	04-30T22-23-53Z		
15dd23fb2355	localhost/dfm-core:1.0.1.9	Up 32 seconds ago (healthy)	dfm-core
c49a291fbede	localhost/dfm-console:1.0.1.9	Up 32 seconds ago (healthy)	dfm-console

1.4.6 DFM proxy start

[STEP 1] change haproxy.cfg file

```
#overwrite haproxy.cfg file cp /tmp/dfm/haproxy-config/haproxy.cfg /dfm/haproxy/config/
```

After copying the file, please proceed with the additional setting by referring to the **4.9. (STEP08) Configure HAProxy** of the installation guide.

[STEP 2] start proxy service

#rootless mode dfm start dfm-proxy

#root mode sudo dfm start dfm-proxy

[STEP 3] check proxy service

If it is redhat 8.4 version, run health check podman healthcheck run dfm-proxy

#rootless mode podman ps -a

#root mode

sudo podman ps -a

Example)

CONTAINER ID	IMAGE	STATUS	NAMES
9baaf3c0338a	localhost/mysql:8.0.36	Up 36 seconds ago (healthy)	dfm-mysql
77d1f27b3038	localhost/minio/minio:RELEASE.2022-	Up 38 seconds ago (healthy)	dfm-minio
	04-30T22-23-53Z		
15dd23fb2355	localhost/dfm-core:1.0.1.9	Up 32 seconds ago (healthy)	dfm-core
c49a291fbede	localhost/dfm-core:1.0.1.9	Up 32 seconds ago (healthy)	dfm-console
d6a91751a3c3	localhost/haproxytech/haproxy-debian:2.2.33	Up 32 seconds ago (healthy)	dfm-proxy

< EOF (End Of File) >