

Feature list for Knox Manage

1. Android

Ⓢ : Supported in Work Profile on Company-Owned device

| Category | Feature | Android Enterprise | | Android Enterprise - Android Management API | | Samsung Knox | |
|----------|---|--------------------|-----------------------|---|-----------------------|-----------------|-----------------------|
| | | Device controls | Work profile controls | Device controls | Work profile controls | Device controls | Work profile controls |
| System | Certificate Setting | ○ | Ⓢ | ○ | ○ | ○ | Ⓢ |
| | Camera | Ⓢ | Ⓢ | Ⓢ | Ⓢ | Ⓢ | Ⓢ |
| | Screen capture | Ⓢ | Ⓢ | Ⓢ | Ⓢ | Ⓢ | Ⓢ |
| | VPN setting | ○ | Ⓢ | ○ | Ⓢ | ○ | Ⓢ |
| | Account modification (+Account blocklist/allowlist) | Ⓢ | Ⓢ | Ⓢ | Ⓢ | Ⓢ | Ⓢ |
| | Allow account in Google Play | Ⓢ | Ⓢ | | | Ⓢ | Ⓢ |
| | System updates | Ⓢ | | Ⓢ | | Ⓢ | |
| | Developer mode | ○ | | Ⓢ | | Ⓢ | |
| | User deletion | ○ | | | | ○ | |
| | Safe mode | Ⓢ | | | | Ⓢ | |
| | Wallpaper change | ○ | | | | ○ | |
| | Custom wallpaper | ○ | | | | ○ | |
| | Factory reset | ○ | | | | ○ | |
| | Outgoing Beam | ○ | | Ⓢ | | | |
| | Create Windows | ○ | | | | ○ | |
| | Easter egg | ○ | | | | ○ | |
| | Brightness setting | ○ | | | | ○ | |
| | Always on display | ○ | | | | ○ | |
| | System error screen | ○ | | | | ○ | |
| | If compromised OS is detected | ○ | | | | ○ | |
| | Notification when an event is set to on. | ○ | | | | ○ | |
| | Notification when an event is set to off. | ○ | | | | ○ | |
| | Fix event notification | ○ | | | | ○ | |
| | Encryption for storage | ○ | | | | ○ | |
| | Date and time | Ⓢ | | Ⓢ | | ○ | |
| | Language setting | ○ | | | | ○ | |
| | Backup | ○ | | | | ○ | |
| | Set a message for blocked settings | ○ | | | | ○ | |
| | Set a message for lock screen | ○ | | Ⓢ | | ○ | |
| | Mount physical media | | | Ⓢ | | | |
| | Domain blocklist settings | | | | | Ⓢ | |
| | NTP settings | | | | | Ⓢ | |
| | Power off | | | | | Ⓢ | |
| | OTA upgrade | | | | | Ⓢ | |
| | Settings | | | | | Ⓢ | |
| | Expand status bar | | | | | Ⓢ | |
| | Clipboard | | | | | ○ | |
| | Share via apps | | | | | Ⓢ | |
| | Smart Select | | | | | ○ | |
| | Reboot banner | | | | | Ⓢ | |
| | Control power saving mode | | | | | Ⓢ | |

| | | | | | | | |
|-----------------|---|---|---|---|---|---|---|
| | Firmware download mode control | | | | | ⊙ | |
| | Samsung keyboard settings control | | | | | ⊙ | |
| Connectivity | Use Printer | ○ | ⊙ | | ⊙ | ○ | ⊙ |
| | Auto-Completion in Browser | ○ | ⊙ | | | ○ | ⊙ |
| | Send and Receive Files through Bluetooth | ⊙ | ⊙ | | | ⊙ | ⊙ |
| | 5G network slicing | ○ | ⊙ | | ⊙ | ○ | ⊙ |
| | Reset Mobile Data Usage | ○ | | | | ○ | |
| | Configure Mobile Network Settings | ⊙ | | ⊙ | | ⊙ | |
| | Wi-Fi setting | ⊙ | | ⊙ | | ⊙ | |
| | Wi-Fi (including Wi-Fi direct) | ⊙ | | | | ⊙ | |
| | Share Internet Connection Using Tethering | ⊙ | | ⊙ | | ⊙ | |
| | Bluetooth | ⊙ | | ⊙ | | ⊙ | ⊙ |
| | Bluetooth setting | ⊙ | | ⊙ | | ⊙ | |
| | USB file transfer | ⊙ | | | | ⊙ | |
| | External SD card | ⊙ | | | | ⊙ | |
| | USB debugging | | ⊙ | | | ⊙ | ⊙ |
| | NFC control | | | | | ○ | |
| | USB host storage(OTG) | | | | | ⊙ | |
| | USB exception allowed | | | | | ⊙ | |
| | Always On VPN | ○ | ⊙ | ○ | ⊙ | | |
| | Wi-Fi hotspot | | | | | ⊙ | |
| | Wi-Fi SSID allowlist setting | | | | | ⊙ | |
| | Wi-Fi SSID blocklist setting | | | | | ⊙ | |
| | Wi-Fi auto connection | | | | | ⊙ | |
| | Wi-Fi minimum security level setting | | | | | ⊙ | |
| | USB tethering | | | | | ⊙ | |
| | Bluetooth tethering | | | | | ⊙ | |
| | Bluetooth UUID allowlist setting | | | | | ⊙ | |
| | Bluetooth UUID blocklist setting | | | | | ⊙ | |
| | Allow USB devices for default access by all | | | | | ○ | ⊙ |
| Security | Check Devices through Play Integrity | ○ | ⊙ | ○ | ○ | ○ | ⊙ |
| | Enforce multi factor authentication | | | | | ○ | |
| | Secure startup | | | | | ○ | |
| | Google Android security update policy | | | | | ○ | |
| Lock Screen | Screen lock policies | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ |
| | KeyGuard(Block function setting on lock screen) | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ | ⊙ |
| | Maximum screen timeout allowed | ○ | ⊙ | ○ | ⊙ | ○ | |
| | Screen timeout | ○ | | | | ○ | |
| Kiosk | Single app mode | ○ | | ○ | | ○ | |
| | Multi app mode | ○ | | ○ | | ○ | |
| | Web mode | ○ | | | | ○ | |
| | Delete kiosk app when policy is removed | ○ | | | | ○ | |
| | Turn Screen on when Plugged in | ○ | | ○ | | ○ | |
| App Restriction | App Installation from other sources | ○ | ⊙ | ⊙ | ⊙ | ○ | ⊙ |
| | Skip app tutorial | ○ | ⊙ | | ⊙ | ○ | ⊙ |
| | App control | ○ | ⊙ | | | ○ | ⊙ |
| | App installation | ○ | ⊙ | | ⊙ | ○ | ⊙ |

| | | | | | | | | |
|--------------------------|---|--|---|---|---|---|---|---|
| | | App uninstallation | ○ | ⊙ | | ⊙ | ○ | ⊙ |
| | | App verification | ○ | ⊙ | | ⊙ | ○ | ⊙ |
| | | App permission | ○ | ⊙ | ⊙ | ⊙ | ○ | ⊙ |
| | | Block certain apps from running | ○ | ⊙ | ○ | ⊙ | ⊙ | ⊙ |
| | | Hide apps | ⊙ | ⊙ | | | ⊙ | ⊙ |
| | | Block certain apps from being uninstalled | ○ | ⊙ | | | ○ | ⊙ |
| | | Activate certain pre-installed system apps | ○ | ⊙ | | ⊙ | ○ | ⊙ |
| | | App delegation scope management | ○ | ⊙ | ⊙ | ⊙ | ○ | ⊙ |
| | | Prevent apps from using mobile data | ○ | ⊙ | | | ○ | ⊙ |
| | | App download block/allowlist | ⊙ | | | | ○ | |
| | | Apps allowing external SD card | | ⊙ | | | | ⊙ |
| | | Work and Personal apps connection | | ⊙ | | ⊙ | | |
| | | Gogle Play protect verify apps | | | | ⊙ | | |
| | | Play store | | | ⊙ | ⊙ | | |
| | | Battery optimization exceptions | | | | | ○ | |
| | | App component blocklist | | | | | ○ | ○ |
| Location | Location Settings | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | Location Mode | | | | ⊙ | | | |
| Phone | Airplane mode | ⊙ | | ⊙ | | | ⊙ | |
| | Emergency Alerts | ⊙ | | ⊙ | | | ⊙ | |
| | Volume adjustment | ○ | | | | | ○ | |
| | Use Microphone | ⊙ | | ⊙ | | | ⊙ | |
| | Make Voice Calls on Non-Samsung Devices | ⊙ | | | | | ⊙ | |
| | Send Text Messages on Non-Samsung Devices | ⊙ | | | | | ⊙ | |
| | Data connection during roaming | ⊙ | | ⊙ | | | ⊙ | |
| | Contact management | ⊙ | ⊙ | | | | ⊙ | |
| | Prohibit voice call(Incoming/Outgoing) | | | ⊙ | | | ⊙ | |
| | SMS/MMS(Incoming/Outgoing) | | | ⊙ | | | ⊙ | |
| | WAP push during roaming | | | | | | ⊙ | |
| | Data sync during roaming | | | | | | ⊙ | |
| | Voice calls during roaming | | | | | | ⊙ | |
| | Use SIM card locking | | | | | | ○ | |
| Container | Copy and paste clipboard per profile | | ⊙ | | | ⊙ | | |
| | Phone Book Access Profile(PBAP) via Bluetooth | | ⊙ | | | ⊙ | | |
| | Set a message for profile wipe | | ⊙ | | | ⊙ | | |
| | Set a maximum period for profile turn off | | ⊙ | | | ⊙ | | |
| Factory Reset Protection | Allow factory reset protection | ⊙ | ⊙ | ⊙ | ⊙ | | ○ | |
| Knox Browser | Homepage URL | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | App auto update | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | Hide URL | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | URL block/allowlist control | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | Link URL to other apps | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | Cookies | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | File download | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | File upload | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | Text copy | ⊙ | ⊙ | | | | ⊙ | ⊙ |
| | Screen capture | ⊙ | ⊙ | | | | ⊙ | ⊙ |

| | | | | | | | |
|---------------------|---|---|---|---|---|---|---|
| | Bookmark | ⦿ | ⦿ | | | ⦿ | ⦿ |
| | Text scaling | ⦿ | ⦿ | | | ⦿ | ⦿ |
| | Force enable zoom | ⦿ | ⦿ | | | ⦿ | ⦿ |
| Staging | Staging device settings | ○ | | | | ○ | |
| Browser | Cookies | | | | | ○ | |
| | JavaScript | | | | | ○ | |
| | Auto fill | | | | | ○ | |
| | Pop-up block | | | | | ○ | |
| | Browser proxy URL | | | | | ○ | |
| Custom Animation | Booting animation | | | | | ⦿ | |
| | Shutdown animation | | | | | ⦿ | |
| Firewall | Firewall permitted by IP per app | | | | | ⦿ | |
| | Firewall prohibited by IP per app | | | | | ⦿ | |
| | Firewall permitted by domain per app | | | | | ⦿ | |
| | Firewall prohibited by domain per app | | | | | ⦿ | |
| | DNS setting | | | | | ⦿ | |
| DeX | Allow DeX mode | | | | | ⦿ | |
| | Allow ethernet only | | | | | ○ | |
| | Application execution blocklist | | | | | ○ | |
| Knox Service Plugin | Provides the same feature set via KSP dynamic UI. KSP premium features are available with Knox Suite license for Knox Platform for Enterprise. Please refer to for KSP features: https://docs.samsungknox.com/dev/knox-service-plugin/index.htm | | | | | | |
| Settings | Wi-Fi | ○ | | ○ | | ○ | |
| | VPN(device wide / per App) | ○ | | | ○ | ○ | |
| | Bookmark / Web Clip | ○ | | | | ○ | |
| | APN / Cellular | ○ | | | | ○ | |
| | Certificate | ○ | | | | ○ | |
| | Google account configuration | ○ | | | | ○ | |

2. iOS & iPadOS

| Category | Feature | Supported |
|----------|---|---------------|
| System | Camera | ○ |
| | Screen capture | ○ |
| | Siri | ○ |
| | Force on device only dictation (Siri) | ○ |
| | Force on device only translation (Siri) | ○ |
| | Submission of diagnosis and usage details | ○ |
| | Passbook on lock scree | ○ |
| | Control center on lock screen | ○ |
| | Display notification on lock screen | ○ |
| | Display today view on lock screen | ○ |
| | Manual installation for profile | ○(Supervised) |
| | Control editing account information | ○(Supervised) |
| | Automatic updates of certificate trust settings | ○ |
| | Delay OS update | ○(Supervised) |
| | Encryption for iTunes backup | ○ |
| | iTunes pairing | ○(Supervised) |
| | Apple Watch paring | ○(Supervised) |

| | | |
|-----------------|---|---------------|
| | Wrist detection on an Apple Watch | ○ |
| | Limit Ad tracking | ○ |
| | Apple personalized advertising | ○ |
| | Factory reset | ○(Supervised) |
| | Result of web search with spotlight | ○ |
| | Block configuration | ○(Supervised) |
| | Change device name | ○(Supervised) |
| | Device name modification | ○(Supervised) |
| | Bluetooth modification | ○(Supervised) |
| | Automatic data and time | ○(Supervised) |
| | VPN creation | ○(Supervised) |
| | Wallpaper modification | ○(Supervised) |
| | Custom wallpaper | ○(Supervised) |
| | Notifications modification | ○(Supervised) |
| | New device proximity setup | ○(Supervised) |
| | Unpaired external boot to recovery | ○(Supervised) |
| | Keyboard shortcuts | ○(Supervised) |
| | Predictive keyboard | ○(Supervised) |
| | Auto correction for keyboard | ○(Supervised) |
| | Spell-check for keyboard | ○(Supervised) |
| | Definition lookup for keyboard | ○(Supervised) |
| | QuickPath keyboard | ○(Supervised) |
| | Dictation | ○(Supervised) |
| | Rapid security response installation | ○(Supervised) |
| | Rapid security response removal | ○(Supervised) |
| | iPhone widgets on Mac devices | ○(Supervised) |
| | iPhone mirroring | ○(Supervised) |
| | Personalized Handwriting | ○(Supervised) |
| | Genmoji | ○(Supervised) |
| | Image Playground | ○(Supervised) |
| | Image Wand | ○(Supervised) |
| | Writing Tools | ○(Supervised) |
| Connectivity | USB drive access | ○(Supervised) |
| | Network device access | ○(Supervised) |
| | USB restricted mode | ○(Supervised) |
| | NFC | ○(Supervised) |
| | Wi-Fi On | ○(Supervised) |
| | Connect Wi-Fi to allowed networks only | ○(Supervised) |
| | Personal hotspot modification | ○(Supervised) |
| Security | Passcode policies | ○ |
| | Passcode modification | ○(Supervised) |
| | Screen unlock with biometric ID (or Touch ID for Window) | ○ |
| | Password proximity requests | ○(Supervised) |
| | Password autofill | ○(Supervised) |
| | Authentication before password autofill | ○(Supervised) |
| | Password sharing | ○(Supervised) |
| | Auto unlock | ○ |
| App Restriction | App installation | ○(Supervised) |
| | App uninstallation | ○(Supervised) |

| | | | |
|---------|--|--|---------------|
| | | Automatic app download | ○(Supervised) |
| | | iTunes store | ○(Supervised) |
| | | Game center | ○(Supervised) |
| | | iBook store | ○(Supervised) |
| | | inappropriate contents download on iBook store | ○ |
| | | iMessage | ○(Supervised) |
| | | YouTube | ○ |
| | | Apple news | ○(Supervised) |
| | | Apple music radio | ○(Supervised) |
| | | Apple music | ○(Supervised) |
| | | Apple podcasts | ○(Supervised) |
| | | Find friends | ○(Supervised) |
| | | Find friends modification | ○(Supervised) |
| | | Find my device | ○(Supervised) |
| | | In-app purchase | ○ |
| | | App block/allowlist settings | ○(Supervised) |
| | | Autonomous single app mode | ○(Supervised) |
| | | Trust enterprise app | ○ |
| | | App Clips | ○(Supervised) |
| | | System app removal | ○(Supervised) |
| | | Managed apps to write contacts to unmanaged contacts accounts | ○ |
| | | Unmanaged apps to read contacts from managed contacts accounts | ○ |
| | | Marketplace app installation | ○(Supervised) |
| | | Web distribution app installation | ○(Supervised) |
| Phone | | Modification of cellular data settings for each application | ○(Supervised) |
| | | FaceTime | ○(Supervised) |
| | | Voice dialing | ○ |
| | | Background fetch for roaming | ○ |
| | | eSIM modification | ○(Supervised) |
| | | Cellular plan modification | ○(Supervised) |
| | | Lve voicemail | ○(Supervised) |
| | | Preservation of eSIM on erase | ○(Supervised) |
| | | eSIM transfer between devices | ○(Supervised) |
| Share | | Allow open from unmanaged to managed apps | ○ |
| | | Allow open from managed to unmanaged apps | ○ |
| | | Managed pasteboard | ○ |
| | | AirDrop | ○(Supervised) |
| | | Consider AirDrop not managed | ○(Supervised) |
| | | AirPrint | ○(Supervised) |
| Browser | | Safari | ○(Supervised) |
| | | Cookies | ○ |
| | | JavaScript | ○ |
| | | Auto fill | ○(Supervised) |
| | | Block pop-ups | ○ |
| | | Untrusted TLS certificate | ○ |
| | | Web forgery warning | ○ |
| iCloud | | Backup | ○ |
| | | Document synchronization | ○(Supervised) |
| | | Enterprise book backup | ○ |

| | | |
|----------|---|---------------|
| | Enterprise books, notes and highlights sync | ○ |
| | iCloud photo library | ○ |
| | Photo stream | ○ |
| | Photo sharing | ○ |
| | Keychain synchronization | ○ |
| | Managed app synchronization | ○ |
| | Handoff | ○ |
| Media | Rating for each country | ○ |
| Settings | Wi-Fi | ○ |
| | Exchange | ○ |
| | VPN(device wide / per App) | ○ |
| | Certificate | ○ |
| | SSO | ○ |
| | Cellular | ○ |
| | AirPrint | ○ |
| | Font | ○ |
| | Web Clip | ○ |
| | Home Screen Layout | ○ |
| | App Lock | ○(Supervised) |
| | Global HTTP proxy | ○(Supervised) |
| | AirPlay (iOS7 or above) | ○ |
| | Web content filter (iOS 7 or above) | ○(Supervised) |
| | Managed domains (iOS 8 or above) | ○ |
| | Network usage rules (iOS 9 or above) | ○ |

3. macOS

| Category | Feature | Supported |
|----------|---------------------------------|-----------|
| System | Camera | ○ |
| | Screen capture | ○ |
| | Manual installation for profile | ○ |
| | Factory reset | ○ |
| | Delay Software update | ○ |
| | Software update notification | ○ |
| | App adoption by user | ○ |
| | USB restricted mode | ○ |
| Security | Password policies | ○ |
| | Passcode modification | ○ |
| | Screen unlock with Touch ID | ○ |
| | Touch ID timeout | ○ |
| iCloud | Private relay | ○ |
| | Document synchronization | ○ |
| Settings | Wi-Fi | ○ |
| | Certificate | ○ |
| | Global HTTP proxy | ○ |
| | Software update | ○ |

4. Windows

| Category | Feature | Supported |
|--------------------------|---|-------------------------------|
| System | Factory reset | ○ |
| | Camera | ○ |
| | Screen capture | ○ |
| | VPN | ○ |
| | VPN over cellular | ○ |
| | VPN roaming over cellular | ○ |
| | Sign in options | ○ |
| | Date and time | ○ |
| | Language | ○ |
| | Power and Sleep | ○ |
| | Region | ○ |
| | Workplace | ○ |
| | Account | ○ |
| | Windows sync | ○ |
| | Windows tips | ○ |
| Connectivity | Wi-Fi | ○ |
| | Bluetooth | ○ |
| | Bluetooth advertising | ○ |
| | NFC | ○ (Windows Mobile OS only) |
| | USB | ○ (Windows Mobile OS only) |
| | Removable Storage | ○ |
| | Cortana | ○ |
| | IME logging | ○ |
| | IME network access | ○ |
| Security | Password policies | ○ |
| App Restriction | Windows app store access control | ○ (Windows Mobile OS only) |
| | App installation block/allowlist setting | ○ |
| | Developer unlock | ○ |
| | DVR & Game Broadcasting | ○ |
| | Restrict App Data to System Volume | ○ |
| | All trusted app(Non-Microsoft store apps) | ○ |
| | App Store Auto Updates | ○ |
| | Share App Data between Users | ○ |
| Location | Location Settings | ○ |
| Phone | Data conection during roaming | ○ |
| Administrative Templates | Computer Configuration | ○ |
| | User Configuration | ○ |
| ETC | Delete PPKG | ○ |
| | MDM client unenrollment | ○ |
| Kiosk | Single app mode | ○ |

| | | |
|----------|----------------------------|---|
| Settings | Multi app mode | ○ |
| | Wi-Fi | ○ |
| | Exchange | ○ |
| | VPN(device wide / per App) | ○ |
| | Certificate | ○ |
| | App Locker | ○ |
| | Proxy | ○ |
| | Windows Hello | ○ |
| | Update | ○ |
| | Custom | ○ |

5. Wear OS

| Category | Feature | Supported |
|------------------|--|-----------|
| System | Screen capture | ○ |
| | OTA upgrade | ○ |
| | Factory reset | ○ |
| | Developer mode | ○ |
| | Key remapping settings | ○ |
| | Power saving mode | ○ |
| | Sound mode settings | ○ |
| | Sound mode | ○ |
| | Microphone | ○ |
| | Language setting | ○ |
| | Brightness setting | ○ |
| | Brightness level | ○ |
| | Adaptive brightness | ○ |
| | Always on display | ○ |
| | Raist wrist to wake | ○ |
| | Touch screen to wake | ○ |
| | Automatic date and time | ○ |
| | Sleep mode | ○ |
| | Show emergency call button | ○ |
| | Auto fall detection | ○ |
| | Show charging info | ○ |
| | Touch sensitivity control | ○ |
| Connectivity | Mobile networks setting | ○ |
| | Wi-Fi | ○ |
| | NFC | ○ |
| | Bluetooth | ○ |
| Lock screen | Screen lock policy | ○ |
| Kiosk | Multi app mode | ○ |
| App restrictions | App permission | ○ |
| | App execution blocklist | ○ |
| | Hide apps | ○ |
| | App uninstallation prevention list setting | ○ |
| | App delegation scope management | ○ |
| | Watch face customization | ○ |

| | | |
|----------|--------------------|---|
| Location | Location Mode | ○ |
| Phone | Airplane mode | ○ |
| | Data roaming | ○ |
| | Auto call answer | ○ |
| | Contact management | ○ |
| Settings | Wi-Fi | ○ |
| | APN / Cellular | ○ |

6. ChromeOS

| Category | Feature | Supported |
|--|--|-----------|
| Users & browsers - General | Maximum user session length | ○ |
| | Custom avatar | ○ |
| | Custom wallpaper | ○ |
| Users & browsers - Sign-in settings | Display password button | ○ |
| s & browsers - Enrollment cont | Device enrollment | ○ |
| | Asset identifier during enrollment | ○ |
| | Enrollment permissions | ○ |
| Users & browsers - Apps and extensions | Task manager | ○ |
| Users & browsers - Site isolation | Site isolation | ○ |
| Users & browsers - Security | Password manager | ○ |
| | Lock screen | ○ |
| | Quick unlock | ○ |
| | PIN auto-submit | ○ |
| | Lock screen media playback | ○ |
| | Idle settings | ○ |
| | Incognito mode | ○ |
| | Browser history | ○ |
| | Clear browser history | ○ |
| | Online revocation checks | ○ |
| | Geolocation | ○ |
| | Single sign-on | ○ |
| | SAML single sign-on login frequency | ○ |
| | Allowed certificate transparency URLs | ○ |
| | Certificate transparency CA allowlist | ○ |
| | Certificate transparency legacy CA allowlist | ○ |
| | User management of installed CA certificates | ○ |
| | User management of installed client certificates | ○ |
| | CPU task scheduler | ○ |
| | Enable leak detection for entered credentials | ○ |
| | Ambient authentication | ○ |
| | Unsupported system warning | ○ |
| | Advanced protection program | ○ |
| | Override insecure origin restrictions | ○ |
| | Popup interactions | ○ |
| | Security token removal | ○ |

| | | |
|---|--|-----------------------|
| Users & browsers - Remote access | Remote access clients | <input type="radio"/> |
| | Remote access hosts | <input type="radio"/> |
| | Firewall traversal | <input type="radio"/> |
| Users & browsers - Session settings | Show logout button in tray | <input type="radio"/> |
| Users & browsers - Kerberos | Kerberos tickets | <input type="radio"/> |
| | Remember Kerberos passwords | <input type="radio"/> |
| | Kerberos accounts | <input type="radio"/> |
| Users & browsers - Network | Proxy mode | <input type="radio"/> |
| | Ignore proxy on captive portals | <input type="radio"/> |
| | Supported authentication schemes | <input type="radio"/> |
| | Allow basic authentication for HTTP | <input type="radio"/> |
| | NTLMv2 authentication | <input type="radio"/> |
| | Minimum SSL version enabled | <input type="radio"/> |
| | SSL error override | <input type="radio"/> |
| | SSL error override allowed domains | <input type="radio"/> |
| | WebRTC UDP ports | <input type="radio"/> |
| | WebRTC ICE candidate URLs for local Ips | <input type="radio"/> |
| | QUIC protocol | <input type="radio"/> |
| | DNS-over-HTTPS | <input type="radio"/> |
| | Built-in DNS client | <input type="radio"/> |
| | Integrated authentication servers | <input type="radio"/> |
| | Kerberos delegation servers | <input type="radio"/> |
| | Kerberos ticket delegation | <input type="radio"/> |
| | Kerberos service principal name | <input type="radio"/> |
| | Kerberos SPN port | <input type="radio"/> |
| | Cross-origin authentication | <input type="radio"/> |
| | SharedArrayBuffer | <input type="radio"/> |
| | User agent client hints | <input type="radio"/> |
| | Signed HTTP exchange(SXG) support | <input type="radio"/> |
| | Globally scoped HTTP authentication cache | <input type="radio"/> |
| | Require online OCSP/CRL checks for local trust anchors | <input type="radio"/> |
| | HSTS policy bypass list | <input type="radio"/> |
| | CNS interception checks enabled | <input type="radio"/> |
| | Intranet redirection behavior | <input type="radio"/> |
| | Legacy TLS/DTLS downgrade in WebRTC | <input type="radio"/> |
| | WPAD optimization | <input type="radio"/> |
| | Login credentials for network authentication | <input type="radio"/> |
| | Allowed network ports | <input type="radio"/> |
| | CECPQ2 post=quantum key-agreement for TLS | <input type="radio"/> |
| Users & browsers - Android applications | Control Android backup and restore service | <input type="radio"/> |
| | Google location services | <input type="radio"/> |
| | Certificate synchronization | <input type="radio"/> |
| Users & browsers - Startup | Home button | <input type="radio"/> |
| | Homepage | <input type="radio"/> |
| | New tab page | <input type="radio"/> |
| | New tab page background | <input type="radio"/> |
| | Paged to load on startup | <input type="radio"/> |
| Users & browsers - Content | SafeSearch and restricted mode | <input type="radio"/> |

| | | |
|-----------------------------|---|---|
| | Screenshot | ○ |
| | Screen video capture | ○ |
| | Client certificates | ○ |
| | Security key attestation | ○ |
| | 3D content | ○ |
| | Cookies | ○ |
| | Third-party cookie blocking | ○ |
| | Default legacy same site cookie behavior | ○ |
| | Per-site legacy same site cookie behavior | ○ |
| | Images | ○ |
| | JavaScript | ○ |
| | JavaScript intentiveWakeUp throttling | ○ |
| | Notifications | ○ |
| | Autoplay video | ○ |
| | Auto open download files | ○ |
| | Pop-ups | ○ |
| | Cross-origin JavaScript dialogs | ○ |
| | URL blocking | ○ |
| | Google Drive syncing | ○ |
| | Google Drive syncing over cellular | ○ |
| | Cast | ○ |
| | Control use of insecure content exceptions | ○ |
| | Allow insecure content on these sites | ○ |
| | Block insecure content on these sites | ○ |
| | Insecure forms | ○ |
| | Network file shared | ○ |
| | Scroll to text fragment | ○ |
| | Enable URL-keyed anonymized data collection | ○ |
| | AppCache | ○ |
| | Web Bluetooth API | ○ |
| | PDF annotations | ○ |
| | File handling API | ○ |
| Users & browsers - Printing | Enable/Disable Printing | ○ |
| | Deprecated privet printing | ○ |
| | Print preview default | ○ |
| | Printer management | ○ |
| | Default color printing mode | ○ |
| | Restrict color printing mode | ○ |
| | Default page sides | ○ |
| | Restrict page sides | ○ |
| | Background graphics printing default | ○ |
| | Background graphics printing restriction | ○ |
| | CUPS print job information | ○ |
| | Print job history retention period | ○ |
| | Print job history deletion | ○ |
| | Restrict PIN printing mode | ○ |
| | Default PIN printing mode | ○ |
| | Maximum sheets | ○ |
| | Default printing page size | ○ |

| | | | |
|--------------------------------------|--|--|---|
| | | Print headers and footers | ○ |
| | | Blocked printer types | ○ |
| Users & browsers - User experience | | Managed bookmarks | ○ |
| | | Bookmark bar | ○ |
| | | Shelf position | ○ |
| | | Shelf auto-hiding | ○ |
| | | Bookmark editing | ○ |
| | | Download location | ○ |
| | | Download location prompt | ○ |
| | | Spell check | ○ |
| | | Spell check service | ○ |
| | | Google translate | ○ |
| | | Alternate error pages | ○ |
| | | Developer tools | ○ |
| | | Form auto-fill | ○ |
| | | Payment methods | ○ |
| | | Emoji suggestions | ○ |
| | | Multiple sign-in access | ○ |
| | | Sign-in to secondary accounts | ○ |
| | | Unified Desktop(BETA) | ○ |
| | | WebRTC event log collection | ○ |
| | | Disabled system features | ○ |
| | | Dinosaur game | ○ |
| | | Previously installed app recommendations | ○ |
| | | Suggested content | ○ |
| | | URLs in the address bar | ○ |
| | | Shared clipboard | ○ |
| | | Full screen mode | ○ |
| | | Full screen alert | ○ |
| | | Show cards on the new tab page | ○ |
| | | Maximize window on first run | ○ |
| | | Allow user feedback | ○ |
| | | Media recommendations | ○ |
| Users & browsers - Connected devices | | Smart lock | ○ |
| | | Instant tethering | ○ |
| | | Messages | ○ |
| | | Click to call | ○ |
| | | Phone hub | ○ |
| Users & browsers - Accessibility | | Spoken feedback | ○ |
| | | Select to speak | ○ |
| | | High contrast | ○ |
| | | Screen magnifier | ○ |
| | | Sticky keys | ○ |
| | | On-screen keyboard | ○ |
| | | Dictation | ○ |
| | | Keyboard focus highlighting | ○ |
| | | Caret highlight | ○ |
| | | Auto-click enabled | ○ |
| | | Large cursor | ○ |

| | | |
|--|---|---|
| | Cursor highlight | ○ |
| | Primary mouse button | ○ |
| | Mono audio | ○ |
| | Accessibility shortcuts | ○ |
| | Accessibility options in the system tray menu | ○ |
| | Image descriptions | ○ |
| Users & browsers - Power and shutdown | Wake locks | ○ |
| Users & browsers - Omnibox search provider | Search suggest | ○ |
| Users & browsers - Hardware | External storage devices | ○ |
| | WebUSB API | ○ |
| | Audio input (microphone) | ○ |
| | Audio input allowed URLs | ○ |
| | Audio output | ○ |
| | Video input (camera) | ○ |
| | Video input allowed URLs | ○ |
| | Keyboard | ○ |
| | Serial port API | ○ |
| | Privacy screen | ○ |
| | File system read access | ○ |
| | File system write access | ○ |
| | Sensors | ○ |
| | Enterprise hardware platform API | ○ |
| Users & browsers - User verification | Verified mode | ○ |
| Users & browsers - User reporting | Managed browser reporting upload frequency | ○ |
| Users & browsers - Chrome safe browsing | Safe browsing | ○ |
| | Help improve safe browsing | ○ |
| | Safe browsing allowed domains | ○ |
| | Download restrictions | ○ |
| | Disable bypassing safe browsing warnings | ○ |
| | Password alert | ○ |
| | Safe Sites URL filter | ○ |
| | Suppress lookalike domain warnings on domains | ○ |
| | Sites with intrusive ads | ○ |
| | Abusive experience intervention | ○ |
| Users & browsers - Chrome updates | Component updates | ○ |
| Users & browsers - Virtual machines (VMs) and developers | Command line access | ○ |
| | Linux virtual machines(BETA) | ○ |
| | Port forwarding | ○ |
| | Android apps from untrusted sources | ○ |
| Users & browsers - Parallels Desktop | Allow/Disallow to use Parallels Desktop | ○ |
| | Parallels Desktop windows image | ○ |

| | | |
|---------------------------------------|-------------------------------------|---|
| | Required disk space | ○ |
| | Diagnostic information | ○ |
| Users & browsers - Other settings | Policy fetch delay | ○ |
| | Wi-Fi network configurations sync | ○ |
| Device - Enrollment and access | Forced re-enrollment | ○ |
| | Powerwash | ○ |
| | Verified access | ○ |
| | Verified mode | ○ |
| | Disabled device return instructions | ○ |
| | Integrated FIDO second factor | ○ |
| Device - Sign-in settings | Guest mode | ○ |
| | Sign-in restriction | ○ |
| | Autocomplete domain | ○ |
| | Sign-in screen | ○ |
| | Device off hours | ○ |
| | Device wallpaper image | ○ |
| | User data | ○ |
| | Single sign-on IdP redirection | ○ |
| | Single sign-on cookie behavior | ○ |
| | Single sign-on camera permissions | ○ |
| | Single sign-on client certificates | ○ |
| | Accessibility control | ○ |
| | Sign-in language | ○ |
| | Sign-in keyboard | ○ |
| | Single sign-on verified access | ○ |
| | System info on sign-in screen | ○ |
| | Privacy screen on sign-in screen | ○ |
| | Show numeric keyboard for password | ○ |
| Device - Sign-in screen accessibility | Spoken feedback | ○ |
| | Select to speak | ○ |
| | High contrast | ○ |
| | Screen magnifier | ○ |
| | Sticky keys | ○ |
| | On-screen keyboard | ○ |
| | Dictation | ○ |
| | Keyboard focus highlighting | ○ |
| | Caret highlight | ○ |
| | Auto-click enabled | ○ |
| | Large cursor | ○ |
| | Cursor highlight | ○ |
| | Primary mouse button | ○ |
| | Mono audio | ○ |
| | Accessibility shortcuts | ○ |
| Device - Device update settings | Auto-update settings | ○ |
| | App-controlled updates | ○ |
| | Kiosk-controlled updates | ○ |
| | Release channel | ○ |
| | Variations | ○ |
| | Update downloads | ○ |

| | | |
|--|--|---|
| Device - User and device reporting | Report device OS information | ○ |
| | Report device hardware information | ○ |
| | Report device telemetry | ○ |
| | Report kiosk session status | ○ |
| | Report the running kiosk app | ○ |
| | Report device print jobs | ○ |
| | Report status report upload frequency | ○ |
| | Inactive device notifications | ○ |
| | Anonymous metric reporting | ○ |
| | Device system log upload | ○ |
| Device - Display settings | Screen settings | ○ |
| Device - Power and shutdown | Power management | ○ |
| | Scheduled reboot | ○ |
| | Allow shutdown | ○ |
| Device - Virtual machines | Linux virtual machines for unaffiliated users (BETA) | ○ |
| | Android apps from untrusted sources | ○ |
| Device - Other settings | Device network hostname template | ○ |
| | Timezone | ○ |
| | Mobile data roaming | ○ |
| | USB access | ○ |
| | Bluetooth | ○ |
| | Bluetooth services allowed | ○ |
| | Throttle device bandwidth | ○ |
| | TPM firmware update | ○ |
| | Authenticated Proxy Traffic | ○ |
| | System clock format | ○ |
| | Apps and extensions cache size | ○ |
| | Hardware profiles | ○ |
| | Low disk space notification | ○ |
| | Redeem offers through Chrome OS registration | ○ |
| Device - Imprivata | Imprivata login screen integration | ○ |
| Managed guest sessions - General | Managed guest session | ○ |
| | Maximum user session length | ○ |
| | Custom terms of service | ○ |
| | Custom avatar | ○ |
| | Custom wallpaper | ○ |
| Managed guest sessions - Apps and extensions | Task manager | ○ |
| Managed guest sessions - Security | Idle settings | ○ |
| | Incognito mode | ○ |
| | Browser history | ○ |
| | Browsing data lifetime | ○ |
| | CPU task scheduler | ○ |
| | Unsupported system warning | ○ |
| | Override insecure origin restrictions | ○ |
| | Pop-ups interactions | ○ |
| | Security token removal | ○ |
| | Screen brightness | ○ |
| | Allow remote debugging | ○ |

| | | |
|---|--|---|
| | Insecure media capture | ○ |
| | WebSQL in third-party context | ○ |
| Managed guest sessions - Remote access | Remote access clients | ○ |
| | Remote access hosts | ○ |
| Managed guest sessions - Session settings | Show logout button in tray | ○ |
| | Display the logout confirmation dialog | ○ |
| Managed guest sessions - Kerberos | Kerberos tickets | ○ |
| Managed guest sessions - Network | Proxy mode | ○ |
| | Ignore proxy on captive portals | ○ |
| | Minimum SSL version enabled | ○ |
| | SSL error override | ○ |
| | SSL error override allowed domains | ○ |
| | QUIC protocol | ○ |
| | WebRTC IP handling | ○ |
| | DNS-over-HTTPS | ○ |
| | Built-in DNS client | ○ |
| | Integrated authentication servers | ○ |
| | SharedArrayBuffer | ○ |
| | User-Agent client hints | ○ |
| | Signed HTTP exchange(SXG) support | ○ |
| | Globally scoped HTTP authentication cache | ○ |
| | Require online OCSP/CRL checks for local trust anchors | ○ |
| | HSTS policy bypass list | ○ |
| | DNS interception checks enabled | ○ |
| | Intranet redirection behavior | ○ |
| | Legacy TLS/DTLS downgrade in WebRTC | ○ |
| | WPAD optimization | ○ |
| | Allowed network ports | ○ |
| | CECPQ2 post=quantum key-agreement for TLS | ○ |
| | DNS queries for additional DNS record types | ○ |
| | User-Agent client hints | ○ |
| Managed guest sessions - Startup | Home button | ○ |
| | Homepage | ○ |
| | New tab page | ○ |
| | Pages to load on startup | ○ |
| | Browser launch on startup | ○ |
| Managed guest sessions - Content | SafeSearch and restricted mode | ○ |
| | Screenshot | ○ |
| | Screen video capture allowed by sites | ○ |
| Managed guest sessions - Printing | Printing | ○ |
| | Deprecated privet printing | ○ |
| | Print preview default | ○ |
| | Printer management | ○ |
| | Default color printing mode | ○ |
| | Restrict color printing mode | ○ |
| | Default page sides | ○ |
| | Restrict page sides | ○ |

| | | |
|---|---|---|
| Managed guest sessions - User experience | Background graphics printing default | ○ |
| | Background graphics printing restriction | ○ |
| | Print job history retention period | ○ |
| | Print job history deletion | ○ |
| | Restrict PIN printing mode | ○ |
| | Default PIN printing mode | ○ |
| | Maximum sheets | ○ |
| | Default printing page size | ○ |
| | Print headers and footers | ○ |
| | Blocked printer types | ○ |
| | Managed bookmarks | ○ |
| | Bookmark bar | ○ |
| | Shelf position | ○ |
| | Download location prompt | ○ |
| | Download bubble | ○ |
| | Spell check | ○ |
| | Spell check service | ○ |
| | Allowed ChromeOS languages | ○ |
| | Allowed input methods | ○ |
| | Google translate | ○ |
| | Developer tools | ○ |
| | Payment methods | ○ |
| | Session locale | ○ |
| | Emoji suggestions | ○ |
| | Unified Desktop(BETA) | ○ |
| | Disabled system features visibility | ○ |
| | Disabled system features | ○ |
| | Dinosaur game | ○ |
| | Previously installed app recommendations | ○ |
| | Suggested content | ○ |
| | URLs in the address bar | ○ |
| | Fullscreen mode | ○ |
| | Fullscreen after unlock | ○ |
| | Maximize window on first run | ○ |
| | Allow user feedback | ○ |
| | Persist display settings | ○ |
| | Lock icon in the omnibus for secure connections | ○ |
| | URL parameter filtering | ○ |
| | ChromeOS color mode | ○ |
| Managed guest sessions - Accessibility | Spoken feedback | ○ |
| | Select to speak | ○ |
| | High contrast | ○ |
| | Screen magnifier | ○ |
| | Sticky keys | ○ |
| | On-screen keyboard | ○ |
| | On-screen keyboard in tabled mode | ○ |
| | Dictation | ○ |
| | Keyboard focus highlighting | ○ |
| | Caret highlight | ○ |

| | | |
|---|---|---|
| | Auto-click enabled | ○ |
| | Large cursor | ○ |
| | Cursor highlight | ○ |
| | Primary mouse button | ○ |
| | Mono audio | ○ |
| | Accessibility shortcuts | ○ |
| | Accessibility options in the system tray menu | ○ |
| | Image descriptions | ○ |
| Managed guest sessions - Power and shutdown | Wake locks | ○ |
| Managed guest sessions - Omnibox search provider | Search suggest | ○ |
| Managed guest sessions - Hardware | External storage devices | ○ |
| | WebUSB API | ○ |
| | Audio input (microphone) | ○ |
| | Audio input allowed URLs | ○ |
| | Audio output | ○ |
| | Video input(camera) | ○ |
| | Video input allowed URLs | ○ |
| | Keyboard | ○ |
| | Serial Port API | ○ |
| | Privacy screen | ○ |
| | File system read access | ○ |
| | File system write access | ○ |
| | Sensors | ○ |
| | Enterprise hardware platform API | ○ |
| Managed guest sessions - Chrome safe browsing | Download restrictions | ○ |
| | Disable bypassing safe browsing warnings | ○ |
| | SafeSites URL filter | ○ |
| | Suppress lookalike domain warnings on domains | ○ |
| | Sites with intrusive ads | ○ |
| | Abusive experience intervention | ○ |
| Managed guest sessions - Other settings | Policy fetch delay | ○ |
| | Fast pair(fast Bluetooth pairing) | ○ |
| Kiosk settings | Managed guest session | ○ |
| | Kiosk device status alerting delivery | ○ |
| | Kiosk device status alerting contact info | ○ |
| | URL blocking | ○ |
| Kiosk power settings | Action on lid close | ○ |
| | AC kiosk power settings | ○ |
| | Battery kiosk power settings | ○ |
| Kiosk accessibility | Kiosk floating accessibility menu | ○ |
| | Kiosk spoken feedback | ○ |
| | Kiosk select to speak | ○ |
| | Kiosk high contrast | ○ |
| | Kiosk sticky keys | ○ |

| | | |
|--|---|---|
| | Kiosk on-screen keyboard | ○ |
| | Kiosk dictation | ○ |
| | Kiosk keyboard focus highlighting | ○ |
| | Kiosk caret highlight | ○ |
| | Kiosk auto-click enabled | ○ |
| | Kiosk large cursor | ○ |
| | Kiosk cursor highlight | ○ |
| | Kiosk primary mouse button | ○ |
| | Kiosk mono audio | ○ |
| | Kiosk accessibility shortcuts | ○ |
| | Kiosk screen magnifier | ○ |
| Apps & extensions - Additional settings | Allow/block mode (Play Store, Chrome Web Store) | ○ |
| | Android applications on Chrome devices | ○ |
| | Allowed types of apps and extensions | ○ |
| | App and extension install sources | ○ |
| | Allow insecure extension packaging | ○ |
| | External extensions | ○ |
| | Permissions and URLs | ○ |
| | Chrome Web Store app icon | ○ |
| | Chrome Web Store homepage | ○ |
| | Chrome Web Store permissions | ○ |
| | Android reporting for users and devices | ○ |
| | Full restore | ○ |
| | Android ghost windows | ○ |
| Chrome management - partner access | Allow EMM partners access to device management | ○ |
| Settings | Wi-Fi | ○ |
| | VPN(device wide / per App) | ○ |
| | Ethernet | ○ |
| | General settings (Chrome book only) | ○ |

Device commands

1. Android

| Category | Feature | Android Enterprise | | Android Enterprise - Android Management API | | Samsung Knox | |
|------------------|---|--------------------|-----------------------|---|-----------------------|-----------------|-----------------------|
| | | Device controls | Work profile controls | Device controls | Work profile controls | Device controls | Work profile controls |
| Device | Push profile | ○ | ○ | ○ | ○ | ○ | ○ |
| | Lock/Unlock device | ○ | | | | ○ | |
| | Lock screen | ○ | ○ | ○ | ○ | ○ | ○ |
| | Clear screen lock | ○ | ○ | ○ | ○ | ○ | ○ |
| | Factory reset + Initialize SD card | ○ | | | | ○ | |
| | Activate eSIM cellular plan(preview) | ○ | | | | ○ | |
| | Remove eSIM cellular plan(preview) | ○ | | | | ○ | |
| | Factory reset | ○ | | ○ | | ○ | |
| | Power off device | ○ | | | | ○ | |
| | Reboot device | ○ | | ○ | | ○ | |
| | Reset SD card | ○ | | | | ○ | |
| | Reset data usage | ○ | | | | ○ | |
| | Reset number of calls | ○ | | | | ○ | |
| | Enable/Disable Lost mode | | | ○ | | | |
| App mgmt. | Install or Update App | ○ | ○ | | | ○ | ○ |
| | Uninstall | ○ | ○ | | | ○ | ○ |
| | Run App | ○ | ○ | | | | |
| | Delete app data | ○ | ○ | ○ | ○ | | |
| | Apply latest internal app info | ○ | ○ | | | ○ | ○ |
| Knox Manage | Unenroll service | ○ | ○ | ○ | ○ | ○ | ○ |
| | Push notification | ○ | ○ | | | ○ | ○ |
| | Unlock/Unlock screen of Knox Manage Agent | ○ | ○ | | | ○ | ○ |
| | Delete account | ○ | ○ | | | ○ | ○ |
| | Exit kiosk | ○ | | | | ○ | |
| | Collect audit logs | ○ | ○ | | ○ | ○ | ○ |
| | Collect logs | ○ | ○ | | ○ | ○ | ○ |
| | Collect diagnosis information | ○ | ○ | | | ○ | ○ |
| | Update user information | ○ | ○ | | | ○ | ○ |
| | Update license | ○ | ○ | | | ○ | ○ |
| | Update Knox Manage | ○ | | | | ○ | |
| | Collect Bug Report | ○ | | | | ○ | |
| | Reset push token | ○ | ○ | | ○ | ○ | ○ |
| Device info Sync | Sync device information | ○ | ○ | | | ○ | ○ |
| | Sync Installed app list | ○ | ○ | | ○ | ○ | ○ |
| | Collect current location | ○ | ○ | | | ○ | |
| | Authenticate SIM card | ○ | | | | ○ | |
| | Authenticate SD card | ○ | | | | ○ | |
| | Attestation | ○ | | | | ○ | |
| | SafetyNet Attestation | ○ | ○ | | | ○ | ○ |

2. iOS & iPadOS

| Category | Feature | iOS & iPadOS |
|------------------|---|---------------|
| Device | Push profile | ○ |
| | Lock/Unlock device | ○ |
| | Clear screen lock | ○ |
| | Factory reset | ○(Supervised) |
| | Power off device | ○(Supervised) |
| | Reboot device | ○(Supervised) |
| | Delete jailbreak | ○ |
| | Initialize blocked information | ○(Supervised) |
| | OS update | ○(Supervised) |
| | Enable/Disable lost mode | ○(Supervised) |
| | Update the eSIM cellular plan | ○ |
| | Enable activation lock | ○ |
| App mgmt. | Install or Update App | ○ |
| | Uninstall | ○ |
| | Apply latest internal app info | ○ |
| Knox Manage | Unenroll service | ○ |
| | Push notification | ○ |
| | Unlock/Unlock screen of Knox Manage Agent | ○ |
| | Delete account | ○ |
| | Collect audit logs | ○ |
| | Collect logs | ○ |
| | Collect diagnosis information | ○ |
| | Update user information | ○ |
| | Update Knox Manage | ○ |
| | Sync app auto-removal property when service is deactivate | ○ |
| Device info Sync | Sync device information | ○ |
| | Sync Installed app list | ○ |
| | Collect current location | ○ |
| | Status report | ○ |

3. macOS

| Category | Feature | macOS |
|------------------|-------------------------|-------|
| Device | Push profile | ○ |
| | Lock/Unlock device | ○ |
| | Factory reset | ○ |
| | Power off device | ○ |
| | Reboot device | ○ |
| App mgmt. | Install or Update App | ○ |
| | Uninstall | ○ |
| Knox Manage | Unenroll service | ○ |
| Device info Sync | Sync device information | ○ |
| | Sync Installed app list | ○ |

4. Windows

| Category | Feature | Windows |
|------------------|---|-------------------------------|
| Device | Push profile | ○ |
| | Lock/Unlock device | ○ (Windows Mobile OS only) |
| | Lock screen | ○ |
| | Factory reset | ○ |
| | Enterprise wipe | ○ |
| | Reboot device | ○ |
| App mgmt. | Install or Update App | ○ |
| | Uninstall | ○ |
| | Apply latest internal app info | ○ (Windows Mobile OS only) |
| Knox Manage | Unenroll service | ○ |
| | Push notification | ○ |
| | Unlock/Unlock screen of Knox Manage Agent | ○ |
| | Delete account | ○ |
| | Update user information | ○ |
| Device info Sync | Sync device information | ○ |
| | Sync Installed app list | ○ |
| | Collect current location | ○ |
| Custom Control | Select | ○ |

5. Wear OS

| Category | Feature | Wear OS |
|------------------|-------------------------|---------|
| Device | Push profile | ○ |
| | Lock/Unlock device | ○ |
| | Clear screen lock | ○ |
| | Factory reset | ○ |
| | Reboot device | ○ |
| App mgmt. | Run App | ○ |
| | Delete app data | ○ |
| Knox Manage | Unenroll service | ○ |
| | Exit kiosk | ○ |
| | Collect audit logs | ○ |
| | Collect logs | ○ |
| | Update Knox Manage | ○ |
| | Collect Bug Report | ○ |
| | Reset push token | ○ |
| | Push notification | ○ |
| Device info Sync | Sync device information | ○ |
| | Sync Installed app list | ○ |

6. ChromeOS

| Category | Feature | Chrome |
|----------|------------------------------------|--------|
| Device | Lock device | ○ |
| | Unlock device | ○ |
| | Unenroll device with factory reset | ○ |

| | | |
|-------|----------------------------------|---|
| | Unenroll device but keeping data | ○ |
| | Factory reset | ○ |
| | Clear user profile | ○ |
| | Export logs | ○ |
| | Capture logs | ○ |
| | Reboot | ○ |
| Kiosk | Take a screenshot | ○ |
| | Set volume | ○ |

New console

1. Android features

| Policy | Setting | Sub-setting | Android Enterprise | | Samsung Knox | |
|-------------------|---|--|--------------------|-----------------------|-----------------|-----------------------|
| | | | Device controls | Work profile controls | Device controls | Work profile controls |
| System settings | Use camera | | ○ | | | |
| | Screen capture permission | | ○ | | | |
| | Factory reset | | ○ | | ○ | |
| | Developer mode | | ○ | | | |
| | | Use mock location for testing | | | ○ | |
| | | Set limit for background processes | | | ○ | |
| | | Close apps if user signs out of device | | | ○ | |
| | Safe mode | | ○ | | | |
| | Install system updates | | ○ | | | |
| | | Set time range | ○ | | | |
| | | Set dates to block updates | ○ | | | |
| | Backup data on cloud | | ○ | | | |
| | Set date and time | | ○ | | | |
| | Set user certificates | | ○ | | | |
| | Change language | | ○ | | | |
| | Change brightness setting | | ○ | | | |
| | Always on display | | ○ | | | |
| | Android Easter egg game | | ○ | | | |
| Hardware controls | Use microphone | | ○ | | | |
| | | Record with microphone | | | ○ | |
| | | Use S Voice | | | ○ | |
| | Adjust volume | | ○ | | | |
| Call and message | Make voice calls on non-Samsung devices | | ○ | | | |
| | Send text messages on non-Samsung devices | | ○ | | | |
| | Emergency alerts | | ○ | | | |
| Wallpaper | Change wallpaper | | ○ | | | |
| | Set custom wallpaper | | ○ | | | |
| | | Home screen | ○ | | | |
| | | Lock screen | | | | |
| | | Wallpaper | | | | |
| Notification | Show notifications on device | | ○ | | | |
| | Show error notification after app crash | | ○ | | | |
| | Show notification if event is triggered | | ○ | | | |
| | Show notification if event is disabled | | ○ | | | |
| | Remove notifications from Quick panel | | ○ | | | |
| | Show message for blocked settings | | ○ | | | |
| | | Set custom short message | ○ | | | |
| | | Set custom long message | ○ | | | |
| | Show custom message on lock screen | | ○ | | | |
| | | Write message | ○ | | | |
| | Take action if OS is compromised | | ○ | | | |

| | | | | | | |
|---------------------|---|-------------------------------|---|--|---|--|
| Security settings | Factory reset protection | | ○ | | | |
| | | Google uses | ○ | | | |
| | Set encryption for device storage | | ○ | | | |
| Lock screen | Set minimum complexity | | ○ | | | |
| | Set minimum strength | | ○ | | | |
| | | Minimum length | ○ | | | |
| | | Minimum letters | ○ | | | |
| | | Minimum non-letters | ○ | | | |
| | | Minimum lowercase letters | ○ | | | |
| | | Minimum capital letters | ○ | | | |
| | | Minimum numeric characters | ○ | | | |
| | | Minimum special characters | ○ | | | |
| | | Maximum sequential numbers | | | ○ | |
| | | Maximum sequential characters | | | ○ | |
| | Set days before user must reset password | | ○ | | | |
| | Limit wrong unlock attempts | | ○ | | | |
| | Lock devices after a set number of hours | | ○ | | | |
| | Screen lock history | | ○ | | | |
| | Screen lock compliance violation | | ○ | | | |
| | Block certain actions if screen is locked | | ○ | | | |
| | Screen lock time changes by device user | | ○ | | | |
| | Set maximum screen timeout allowed | | ○ | | | |
| Connection settings | Share internet connection using tethering | | ○ | | | |
| | Transfer files through USB | | ○ | | | |
| | Use external SD card | | ○ | | | |
| | | Write to external SD card | | | ○ | |
| | Use Bluetooth | | ○ | | | |
| | | Desktop connection | | | ○ | |
| | | Search mode | | | ○ | |
| | Send and receive files through Bluetooth | | ○ | | | |
| | Control Bluetooth settings | | ○ | | | |
| | Use Wi-Fi | | ○ | | | |
| | | Wi-Fi direct | | | ○ | |
| | Turn on airplane mode | | ○ | | | |
| | Use VPN | | ○ | | | |
| | Use printer | | ○ | | | |
| | Reset mobile data usage | | ○ | | | |
| | Configure mobile network settings | | ○ | | | |
| | Transfer data using NFC | | ○ | | | |
| Wi-Fi | Network name (SSID) | | ○ | | | |
| | Description | | ○ | | | |
| | Security type | | ○ | | | |
| | Password | | ○ | | | |
| | Proxy configuration | | ○ | | | |
| | | Proxy host name | ○ | | | |
| | | Proxy port | ○ | | | |

| | | | | | | |
|-----------------------------|--|---|---|--|--|--|
| | | Proxy exception | ○ | | | |
| | Additional settings | | ○ | | | |
| | Location settings | | ○ | | | |
| Location settings | Location settings | | ○ | | | |
| | Allow collection of location data | | ○ | | | |
| App controls | | Set collection time | ○ | | | |
| | App installation | | ○ | | | |
| | App uninstallation | | ○ | | | |
| | App installation from other sources | | ○ | | | |
| | Skip app tutorials | | ○ | | | |
| | Control apps from settings | | ○ | | | |
| | | | ○ | | | |
| | Delegated scopes for apps | | ○ | | | |
| | Runtime permissions for all apps | | ○ | | | |
| | | Exceptions list | ○ | | | |
| | Hide apps | | ○ | | | |
| | Activate certain pre-installed system apps | | ○ | | | |
| App allowlist and blocklist | Block certain apps from running | | ○ | | | |
| | Block certain apps from being uninstalled | | ○ | | | |
| | Block certain apps from using mobile data | | ○ | | | |
| Google play | Check devices through Play Integrity | | ○ | | | |
| | | Set time period between checks | ○ | | | |
| | | Take action if device fails check during enrollment | ○ | | | |
| | | Take action if device fails check after enrollment | ○ | | | |
| | App verification using Google Play Protect | | ○ | | | |
| Knox Browser settings | Homepage URL | | ○ | | | |
| | Automatic app updates | | ○ | | | |
| | Add URLs to allowlist or blocklist | | ○ | | | |
| | | URLs | ○ | | | |
| | Hide URL address bar | | ○ | | | |
| | Web intents | | ○ | | | |
| | Download files | | ○ | | | |
| | Screen capture | | ○ | | | |
| | Add bookmarks | | ○ | | | |
| | Upload files | | ○ | | | |
| | Store cookies | | ○ | | | |
| | Copy text | | ○ | | | |
| | Text scaling | | ○ | | | |
| | | Ratio | ○ | | | |
| | Force page zoom | | ○ | | | |
| | | Default ratio | ○ | | | |
| Common Browser settings | Auto-completion in browser | | ○ | | | |
| Kiosk settings | Multi app mode | | ○ | | | |
| | Single app mode | | ○ | | | |
| | Web mode | | ○ | | | |
| | Basic settings | | ○ | | | |

| | | | | | | |
|------------------|--------------------------------------|---|---|--|--|--|
| | | Session timeout | ○ | | | |
| | | Screen saver | ○ | | | |
| | | Hide info icon (i) | ○ | | | |
| | | Screen saver | ○ | | | |
| | | Exit Kiosk mode attempt limit | ○ | | | |
| | | Take action if attempts are exceeded | ○ | | | |
| | | Automatic app updates | ○ | | | |
| | | File uploads | ○ | | | |
| | | Copy text | ○ | | | |
| | | Run JavaScript | ○ | | | |
| | Utility settings | | ○ | | | |
| | | System status bar | ○ | | | |
| | | Notification bar | ○ | | | |
| | | Power off | ○ | | | |
| | | Home button | ○ | | | |
| | | Recent apps | ○ | | | |
| | | Keyguard | ○ | | | |
| | Settings menu preferences | Select all | ○ | | | |
| | | Wi-Fi direct | ○ | | | |
| | | Bluetooth | ○ | | | |
| | | NFC | ○ | | | |
| | | Mobile date | ○ | | | |
| | | Device maintenance | ○ | | | |
| | | Hotspot | ○ | | | |
| | | Google account setup | ○ | | | |
| | | Time zone | ○ | | | |
| | | Flashlight | ○ | | | |
| | | Accessibility | ○ | | | |
| | | Location | ○ | | | |
| | | Display | ○ | | | |
| | | Lockscreen | ○ | | | |
| | | Sound | ○ | | | |
| | | Mobile networks | ○ | | | |
| | | Airplane mode | ○ | | | |
| | | Blue light | ○ | | | |
| | | Language | ○ | | | |
| | | Smart view | ○ | | | |
| | App outside kiosk | | ○ | | | |
| | Advanced settings | | ○ | | | |
| | | Delete Kiosk app when policy is removed | ○ | | | |
| | | Turn screen on when plugged in | ○ | | | |
| | | AC charger | ○ | | | |
| | | USB charger | ○ | | | |
| | | Wireless charger | ○ | | | |
| User and account | Add or delete account | | ○ | | | |
| | Account type allowlist and blocklist | | ○ | | | |

| | | | | | | |
|--|---------------|---|---|--|--|--|
| | | Accounts types | ○ | | | |
| | | Select accounts to allow in Google Play | ○ | | | |
| | | Accounts | ○ | | | |
| | User deletion | | ○ | | | |

2. Device Command

| Feature | | Android Enterprise | | Samsung Knox | |
|------------------|---------------------------------------|--------------------|-----------------------|-----------------|-----------------------|
| | | Device controls | Work profile controls | Device controls | Work profile controls |
| Device | Lock/Unlock device | ○ | | ○ | |
| | Lock screen | ○ | | ○ | |
| | Clear screen lock | ○ | | ○ | |
| | Reset SD card | ○ | | ○ | |
| | Play alarm sound | ○ | | ○ | |
| | Push notification | ○ | | ○ | |
| | Turn off device | ○ | | ○ | |
| | Reboot device | ○ | | ○ | |
| | Factory reset | ○ | | ○ | |
| App | Run app | ○ | | ○ | |
| | Uninstall app | ○ | | ○ | |
| | Install or update in-house app | ○ | | ○ | |
| | Sync installed app list | ○ | | ○ | |
| | Delete app data | ○ | | ○ | |
| | Play integrity(SafetyNet attestation) | ○ | | ○ | |
| | Register Managed Google Play account | ○ | | ○ | |
| Knox manage | Push profile | ○ | | ○ | |
| | Update Knox Manage agent | ○ | | ○ | |
| | Update license | ○ | | ○ | |
| | Lock/Unlock Knox Manage agent | ○ | | ○ | |
| | Reset push token | ○ | | ○ | |
| | Sync device information | ○ | | ○ | |
| User and profile | Exit kiosk | ○ | | ○ | |
| | Update user information | ○ | | ○ | |
| Mobile network | Reset date usage | ○ | | ○ | |
| | Reset number of calls | ○ | | ○ | |
| | Lock SIM pin | ○ | | ○ | |
| | Unlock SIM pin | ○ | | ○ | |
| Certificate | Delete a user certificate | ○ | | ○ | |
| | Delete admin-installed certificate | ○ | | ○ | |
| | Delete a CA certificate | ○ | | ○ | |
| Diagnostics | Collect bug report | ○ | | ○ | |
| | Collect audit log | ○ | | ○ | |
| | Collect device log | ○ | | ○ | |
| | Collect diagnosis information | ○ | | ○ | |
| | Check for compromised OS | ○ | | ○ | |
| Common | Ping device for location | ○ | | ○ | |
| | Update license | ○ | | ○ | |
| | Unenroll devices | ○ | | ○ | |